

# EDU LEARN09

**INTERNATIONAL CONFERENCE ON EDUCATION AND  
NEW LEARNING TECHNOLOGIES**

**BARCELONA (SPAIN) - 6TH-8TH JULY, 2009**

# CONFERENCE PROCEEDINGS



Published by  
International Association of Technology, Education and Development (IATED)  
[www.iated.org](http://www.iated.org)

**EDULEARN09 Proceedings CD**

Edited by

L. Gómez Chova, D. Martí Belenguer, I. Candel Torres  
International Association of Technology, Education and Development  
IATED, Valencia, Spain

**ISBN: 978-84-612-9802-0**

**Depósito Legal: V-2286-2009**

Book cover designed by  
J.L. Bernat Tomás

All rights reserved.

**SOFTWARE**

*C. Senabre, E. Velasco, S. Valero*

---

**TU DELFT OPENCOURSEWARE: FROM REPOSITORY TO COMMUNITY**

*J. Verberk, W.F. van Valkenburg, J. Groot Kormelink*

---

**USING BLENDED LEARNING IN A COMMUNITY-BASED MODULE FOR THE FACULTY ENGINEERING, BUILT ENVIRONMENT AND TECHNOLOGY AT THE UNIVERSITY OF PRETORIA, SOUTH AFRICA**

*M. Jordaan*

---

**UTILITY OF THE FORUM RESOURCES IN THE VIRTUAL CLASSROOM APPLICATION FOR UNIVERSITY STUDENTS IN THE SUBJECT "ENVIRONMENTAL CONTAMINATION"**

*V. Pino, J. Ayala*

---

**VIRTUAL CULMING: FINAL ASSESSMENT PROJECT**

*A. Quiroga*

---

**VIRTUAL FORUM AS A LEARNING STRATEGY IN PHYSICAL EDUCATION AND ITS EFFECTS IN INTERACTION, COOPERATION AND INTERDISCIPLINARY LEARNING**

*J.L. Guillén - González, M<sup>a</sup> I. Vera Muñoz, C. Diago Sánchez, I. López Vera*

---

**VIRTUAL LABORATORY FOR THE STUDY OF ONE-DIMENSIONAL WAVES**

*M.H. Giménez, J. Riera, A. Vidaurre, J.A. Monsoriu*

---

**VIRTUAL PLATFORMS FOR LECTURING IN THERMAL ENGINEERING**

*J. Sala, J. Millan, I. Gomez, I. Flores, M. Odriozola*

---

**ZIG-ZAG: THE FIRST ON-LINE SCIENTIFIC IPTV PROGRAM DEVOTED TO TRANSLATION**

*J. Yuste Frias*

---

**Session: [Educational Software & Serious Games](#)**

**AN ASSESSMENT OF THE EDUCATIONAL POTENTIAL OF A FISHERIES MANAGEMENT SIMULATION GAME FOR ENVIRONMENTAL SCIENCES STUDENTS**

*M. Ruiz, J. A. González, F. Franco, M. A. Alberruche*

---

**APPLICATION OF A STUDENT-ORIENTED SOFTWARE TOOL TO IMPROVE THE LEARNING OF FUZZY INFORMATION RETRIEVAL SYSTEMS**

*J.M. Moreno, E. Herrera-Viedma, A.G. Lopez-Herrera, S. Alonso, F.J. Cabrerizo, C. Porcel*

---

**DAMSFORT. COMPUTER SOFTWARE EDUCATIONAL FOR MECHANICAL ENGINEERING**

*J.C. Fortes Garrido, F. Gómez Bravo, G. Carbone, M.A. Rodríguez*

---

**EDUCATIONAL SOFTWARE ABOUT CHEMICAL REACTIONS**

*J. Leal, L. Gonçalves*

---

**MODELING EDUCATIONAL TECHNOLOGY ACCEPTANCE AND SATISFACTION**

*P. Wessa, S. Poelmans*

---

**SERIOUS GAMES AS A TOOL OF NEW JOURNALISM: AMONG IDEOLOGY, INFORMATION AND ENTERTAINMENT**

*A. Cuadrado*

---

**THE DESIGN, DEVELOPMENT AND EVALUATION OF THE EDUCATIONAL SOFTWARE OF ROAD SAFETY EDUCATION "THE CHARIOT OF THE SUN"**

*G. Koutromanos*

---

**YOUTUBE FOR LEARNING ENGLISH AS A FOREIGN LANGUAGE: CRITICAL THINKING, COMMUNICATIVE SKILLS**

*A. Bastos, A. Ramos*

---

**Session: [Emerging Technologies in Education](#)**

**A STUDY OF INSTANT MESSAGING SOFTWARE'S EFFECT ON EDUCATION ENVIRONMENT FROM VIEWPOINT OF SOCIAL INTERACTION**

# APPLICATION OF A STUDENT-ORIENTED SOFTWARE TOOL TO IMPROVE THE LEARNING OF FUZZY INFORMATION RETRIEVAL SYSTEMS

J. M. Moreno<sup>1</sup>, E. Herrera-Viedma<sup>2</sup>, A. G. López-Herrera<sup>2</sup>, S. Alonso<sup>3</sup>,  
F. J. Cabrerizo<sup>4</sup>, C. Porcel<sup>5</sup>

<sup>1</sup> Department of Information and Communication Engineering, University of Murcia  
Murcia (Spain)  
[jmmoreno@um.es](mailto:jmmoreno@um.es)

<sup>2</sup> Department of Computer Sciences and A.I., University of Granada  
Granada (Spain)  
[viedma@decsai.ugr.es](mailto:viedma@decsai.ugr.es)   [lopez-herrera@decsai.ugr.es](mailto:lopez-herrera@decsai.ugr.es)

<sup>3</sup> Department of Software Engineering, University of Granada  
Granada (Spain)  
[zerjioi@ugr.es](mailto:zerjioi@ugr.es)

<sup>4</sup> Department of Software Engineering and Computer Systems  
Distance Learning University of Spain. Madrid (Spain)  
[cabrerizo@issi.uned.es](mailto:cabrerizo@issi.uned.es)

<sup>5</sup> Department of Computer Sciences, University of Jaen  
Jaen (Spain)  
[cporcel@ujaen.es](mailto:cporcel@ujaen.es)

## Abstract

In the information retrieval field, Fuzzy Information Retrieval Systems (FIRS) use the potential of fuzzy techniques to improve the retrieval activities. Some models of FIRS employ weighted queries to enhance the representation of user information needs and fuzzy connectives to evaluate such queries. In our teaching experience we have observed that students have many problems to understand the different semantics that could be associated to the weights of queries together with their respective strategies of query evaluation, so they must process many examples and compare the results continuously. In this sense, FIRS are suitable for applying a computer-supported learning tool, so we decided to improve the understanding of these complex FIRS by the development of a student-oriented software tool. This tool provides an environment for demonstrating the performance of weighted queries with different semantics and their evaluations using fuzzy connectives. The use of our tool by student has allowed them to overcome the main understanding problems related to the different FIRS models, the students' motivation has increased, and their marks in final exams have risen.

**Keywords** - Fuzzy Information Retrieval, learning tool, education

## 1 INTRODUCTION

In this globalised world, the extraordinary importance of the World Wide Web as e-business platform emphasizes the educational needs related to information retrieval field. Information retrieval may be defined as the problem of selecting documentary information from storage in response to searches provided by a user in form of queries [2, 26].

Fuzzy Information Retrieval Systems (FIRS) use the artificial intelligence fuzzy logic tools [3] to improve the retrieval activities [10, 21]. The study of these systems is one of the matters belongs to the degree subject Information Management Intelligence Systems at the Faculty of Computer Science (University of Murcia). It is becoming clear that students have to be competent in these systems. The complex skills that those FIRS provide, mainly by the use of weighted queries and fuzzy connectives, make very hard to show the different semantics that could be associated to the weights of queries together with their respective strategies of query evaluation in a blackboard. Furthermore, students

have many problems to full understand the semantics of weights and the evaluation strategies, so they need to make many exercises and compare the results continuously.

The use of computer-supported learning tools may provide students with opportunities to promote their understanding of phenomena in science and to facilitate the visualization of abstract and unobservable concepts [1, 13, 27]. In this sense, the information retrieval is a suitable field to put into practice the computer-supported learning systems. The advantage of using these learning systems is that the students get a realistic feeling of the particular information retrieval systems used and they can develop self-learning processes on typical operations of them [12].

The specific aim of our work was to improve the understanding of FIRS by students of the Information Management Intelligence Systems degree subject, facilitating their self-learning processes through the use of a computer-supported tool.

We have searched the Web and peer-reviewed journals for training information retrieval tools, but we have found very few of them [8, 11, 12], which present several shortcomings, and particularly, it does not exist a FIRS training tool. Therefore, we decided to develop a student-oriented application to overcome the understanding problems related to the different FIRS models.

Our learning tool provides an environment for demonstrating the use and performance of weighted queries with different semantics and their evaluations using different fuzzy connectives. Furthermore, the application provides a feedback on the evaluation of weighted queries by means of visual tools, showing internal aspects through evaluations trees and allowing the visual comparison of the evaluation of different weighted queries.

The paper is structured as follows. In Section 2 we introduce the basic notions of Fuzzy Information Retrieval Systems. In Section 3 we describe the performance of the student-oriented software tool as a solution to some problems that we have detected teaching FIRS in blackboard classes. Finally, in Section 4, conclusions are pointed out.

## 2 FUZZY INFORMATION RETRIEVAL SYSTEMS

The main activity of an Information Retrieval System (IRS) is the gathering of pertinent archived documents that best satisfy the user queries. These systems present three components to carry out their activity [16]:

- *Documentary Database*: for storing documents and the representation of their information contents (index terms).
- *Query Subsystem*: for allowing users to formulate their queries by means of a query language.
- *Evaluation Subsystem*: to assess the documents for a user query obtaining a Retrieval Status Value (RSV) for each document.

In the following subsections we briefly present the components of the IRS.

### 2.1 Documentary Database

This component stores the documents and the representation of their contents. Textual documents representation is typically based on index terms (that can be either single terms or sequences), which work as content identifiers for the documents. We assume a documentary archive built like in an usual IRS [2, 26]. The database stores a finite set of documents  $\mathcal{D} = \{d_1, \dots, d_m\}$ , a finite set of index terms  $\mathcal{T} = \{t_1, \dots, t_l\}$ , and the representation  $R_{d_j}$  of each document  $d_j$  characterized by a numeric indexing function  $\mathcal{F} : \mathcal{D} \times \mathcal{T} \rightarrow [0, 1]$  which assigns a numeric weight to each index term  $t_i$ .

In fuzzy notation,  $R_{d_j}$  is a fuzzy set represented as:

$$R_{d_j} = \sum_{i=1}^l \mathcal{F}(d_j, t_i) / t_i.$$

Using the numeric values in  $(0,1)$ ,  $\mathcal{F}$  can weight index terms according to their degree of significance in describing the content of a document in order to improve the document retrieval.  $\mathcal{F}(d_j, t_i) = 0$

implies that the document  $d_j$  contents do not deal at all with the concept(s) represented by the index term  $t_i$  and  $\mathcal{F}(d_j, t_i) = 1$  implies that the document  $d_j$  is perfectly represented by the concept(s) indicated by  $t_i$ . The quality of the retrieval results strongly depends on the criteria used to compute  $\mathcal{F}$ . In standard test collections  $\mathcal{F}$  is obtained using a  $tf \cdot idf$  scheme [26].

## 2.2 Query Subsystem

The query subsystem allows users to formulate their information needs (queries) based on a weighted Boolean query language and presents the relevant documents which are retrieved by the system. This subsystem supports the user-system interaction, and therefore, it should be able to account for the imprecision and vagueness typical of human communication. This aspect may be modelled by means of the introduction of weights in the query language. Many authors have proposed weighted IRS models using Fuzzy Set Theory [4, 6, 7, 9, 23, 28]

Each user query is expressed as a combination of the weighted terms which are connected by the logical operators AND ( $\wedge$ ), OR ( $\vee$ ), and NOT ( $\neg$ ). The weights associated with the query terms could be numerical values assessed in  $[0,1]$  or linguistic values taken from a linguistic term set  $\mathcal{S}$  defined in a fuzzy ordinal linguistic context [14, 15, 16, 19, 20].

A user query is any legitimate Boolean expression whose atomic components (atoms) are pairs  $\langle t_i, w_i \rangle$ ,  $t_i \in \mathcal{T}$  and being  $w_i \in \mathcal{I}$ ,  $\mathcal{I} \in [0, 1]$  or  $\mathcal{I} \in \mathcal{S}$  the weight associated to the term  $t_i$  by the user. Then, the set  $\mathcal{Q}$  of the legitimate weighted Boolean queries is defined by the following syntactic rules:

1. Atomic queries:  $\forall q = \langle t_i, w_i \rangle \in \mathcal{T} \times \mathcal{I} \Rightarrow q \in \mathcal{Q}$ .
2. Conjunctive queries:  $\forall q, p \in \mathcal{Q} \Rightarrow q \wedge p \in \mathcal{Q}$ .
3. Disjunctive queries:  $\forall q, p \in \mathcal{Q} \Rightarrow q \vee p \in \mathcal{Q}$ .
4. Negated queries:  $\forall q \in \mathcal{Q} \Rightarrow \neg(q) \in \mathcal{Q}$ .
5. All legitimate queries  $q \in \mathcal{Q}$  are only those obtained by applying rules 1-4, inclusive.

Users specify restrictions on the relevant documents to be retrieved through weights queries. There are four kinds of semantics to interpret the weights in queries [16]:

- *Importance semantics* [4, 28]. This semantics defines query weights as measures of the relative importance of each term with respect to the others in the query. By associating relative importance weights to terms in a query, the user is asking to see all documents whose content represents the concept that is more associated with the most important term than with the less important ones. In practice, this means that the user requires that the computation of the relevance degree of a document should be dominated by the more heavily weighted terms.
- *Threshold semantics* [7, 23]. This semantics defines query weights as satisfaction requirements for each term of the query to be considered when matching document representations to the query. By associating threshold weights with terms in a query, the user is asking to see all the documents sufficiently related to the topics represented by such terms. In practice, this means that the user will reward a document whose index term weights  $\mathcal{F}$  exceed the established thresholds with a high relevance degree, but allowing some small partial credit for a document whose  $\mathcal{F}$  values are lower than the thresholds.
- *Perfection semantics* [5, 9]. This perfection semantics defines query weights as descriptions of ideal or perfect documents desired by the user. By associating weights with terms in a query, the user is asking to see all the documents whose content satisfies or is more or less close to his ideal information needs as represented in the weighted query. In practice, this means that the user will reward a document whose index term weights are equal to or at least near to term weights for a query with the highest relevance degrees. With such a semantic, the user must be able to specify precisely the characteristics of the user's perfect document in a consistent way with the document representations.
- *Quantitative semantics*. A user may want to incorporate in the query not only qualitative criteria but also quantitative ones. To model this requirement, some existing systems allow to perform a control on the cardinality of retrieved documents by a whole query [26]. This

quantitative semantics defines query weights as measures of quantity of documents for each term of query that users consider in the computation of the final set of documents retrieved [16].

## 2.3 Evaluation Subsystem

The goal of evaluation subsystem consists of evaluating documents in terms of their relevance to a weighted query according to four possible semantics. The evaluation subsystems for weighted Boolean queries with more than one term work by means of a constructive bottom-up process based on the criterion of separability [9, 28]. It acts in two steps:

- First, the documents are evaluated according to their relevance only to atoms of the query. In this step, a partial relevance degree is assigned to each document with respect to each atom in the query.
- Second, the documents are evaluated according to their relevance to Boolean combinations of atomic components (their partial relevance degree), and so on, working in a bottom-up fashion until the whole query is processed. In this step, a total relevance degree is assigned to each document with respect to the whole query.

To overcome the problems of equivalence in the weighted Boolean queries [9, 28] the user queries are preprocessed and put into either a conjunctive normal form (CNF) or a disjunctive normal form (DNF) using the transformation rules given in [24]. The result is that all the Boolean subexpressions must have more than two atoms. Weighted single-term queries are kept in their original forms.

The query evaluation procedure is represented by an evaluation function  $\mathcal{E} : \mathcal{D} \times \mathcal{Q} \rightarrow \mathcal{I}$ . Depending on the kind of query,  $\mathcal{E}$  obtains the relevance degree  $RSV_j$  of any  $d_j \in \mathcal{D}$  as follows:

- Evaluation of an atomic query:

$$\mathcal{E}(d_j, \langle t_i, w_i \rangle) = g^1((\mathcal{F}(d_j, t_i), w_i) = RSV_j,$$

where  $g^1$  is a matching function defined according to the semantics associated to  $w_i$ . The four kind of semantics with different interpretations or matching functions have been considered in our learning tool for FIRS: threshold semantics [7, 23], importance semantics [4, 28, 29], perfection semantics [5, 9], and quantitative semantics [16].

- Evaluation of a conjunctive query:

$$\mathcal{E}(d_j, q \wedge p) = \mathcal{E}(d_j, q) \overset{FC}{\wedge} \mathcal{E}(d_j, p),$$

where  $\overset{FC}{\wedge}$  is a fuzzy connective that models a combination of values similar to a t-norm.

- Evaluation of disjunctive query:

$$\mathcal{E}(d_j, q \vee p) = \mathcal{E}(d_j, q) \overset{FC}{\vee} \mathcal{E}(d_j, p),$$

where  $\overset{FC}{\vee}$  is a fuzzy connective that models a combination of values similar to a t-conorm.

- Evaluation of a negated query:

As queries are preprocessed and put into CNF or DNF form, only atoms in a query are negated. When we have an atom with a negated index term we can negate the weighted term or weigh the negated term. As was done in [7], the NOT operator is modelled according to the latter interpretation.

$$\mathcal{E}(d_j, \neg q) = \mathcal{N}eg(\mathcal{E}(d_j, q)),$$

where  $\mathcal{N}eg$  is a complement operator of fuzzy sets.

### 3 A STUDENT-ORIENTED SOFTWARE TOOL TO OVERCOME THE FIRS LEARNING PROBLEMS

The Student-oriented Software Tool that we introduce in this section has been designed to assist students with their main difficulties in learning FIRS that we have detected during our teaching experience. This tool provides a test environment of weighted queries to be used by the students, enabling them to develop self-learning processes. Next, we summary the main learning problems that we propose to solve with our training system:

- To support student in the visualization of the bottom-up evaluation tree for weighted Boolean queries, showing the results step by step.
- To aid students for resolving their problems with the formulation and the evaluation process of queries that use different semantics simultaneously [15, 16, 17, 18].
- To assist students in their difficulties to understand the different meaning of the semantics associated with the query weights, by processing many examples and facilitating the comparison of their results. For example, for threshold semantics we can use three different threshold proposals: classical threshold semantics [7, 28] symmetrical threshold semantics [16] and improved threshold semantics [20].
- To help students in their full understand of the contradictions existing between different semantics, making the execution of multiple exercises easier. This is applicable, for example, to the threshold semantics and the perfection semantics, which are contradictory for values of index weight function  $\mathcal{F}$  over the considered threshold value [16].

Furthermore, we have tried to overcome the shortcomings presented by the existing IR training systems [12]:

- These systems don't offer feedback about the performance or success of user queries.
- They don't show how a user query is evaluated.
- They don't compare the performance of different types of user queries and different evaluation procedures of user queries.

This Student-oriented Software Tool is composed of three main components: module of instructional test collections, module for formulating weighted queries, and module for evaluating weighted queries. We describe them in the following subsections.

#### 3.1 Module of Instructional Test Collections

A test collection consists of a collection of documents, a set of queries and evaluation results for showing which documents are relevant with respect to a given query. Our aim is to encourage the analysis of individual queries and, as in [12, 22] we only need instructional test collections.

There are several ways to measure the quality of an IRS, such as the system efficiency and effectiveness, and several subjective aspects related to user satisfaction [2]. Traditionally, the retrieval effectiveness is based on the document relevance with respect to the users needs. There are different criteria to measure this aspect, but precision and recall [25] are the most used. Precision is the ratio between the relevant documents retrieved by the IRS in response to a query and the total number of documents retrieved, whilst recall is the ratio between the number of relevant documents retrieved and the total number of relevant documents for the query that exist in the database [25].

Students have the possibility of building their own test collections to analyze the performance of different weighted queries in FIRS by means of the precision and recall achieved across the whole set of queries. The definition of the test collection may be done adding documents represented as a set of index terms. Documents are indexed by means of a random numeric indexing function, between 0 and 1, which describe the subject content of the documents (Figure 1). The tool also allows the removal of documents and terms, as well as the automatic generation of new terms – documents association tables.



Doc.\Term	T1	T2	T3	T4	T5	T6	T7	T8	T9
D1	0,62	0,98	0,46	0,36	0,35	0,65	0,1	0,77	0,9
D2	0,28	0,18	0,32	0,08	0,76	0,79	0,69	0	0,28
D3	0,66	0,54	0,59	0,06	0,57	0,54	0,26	0,94	0,75
D4	0,9	0,28	0,59	0,14	0,02	0,07	0,72	0,16	0,45
D5	0,19	0,58	0,05	0,66	0,49	0,11	0,15	0,92	0,73
D6	0,14	0,32	0,25	0,13	0,94	0,16	0,2	0,36	0,95
D7	0,77	0,98	0,13	0,55	0,86	0,47	0,54	0,91	0,09
D8	0,74	0,67	0,98	0,07	0,34	0,1	0,37	0,83	0,36
D9	0,45	0,94	0,4	0,16	0,03	0,43	0,78	0,66	0,87
D10	0,16	0,79	0,22	0,12	0,41	0,39	0,75	0,05	0,28
D11	0,12	0,69	0,11	0,51	0,3	0,9	0,87	0,61	0,62
D12	0,37	0,27	0,22	0,09	0,78	0,51	0,15	0,86	0,67
D13	0,4	0,02	0,72	0,03	0,45	0,92	0,32	0,37	0,95
D14	0,49	0,4	0,48	0,69	0,38	0,07	0,09	0,52	0,7
D15	0,85	0,4	0,62	0,47	0,88	0,56	0	0,71	0,1
D16	0,58	0,12	0,65	0,86	0,02	0,21	0,41	0,38	0,22
D17	0,45	0,86	0,46	0,36	0,6	0,12	0,71	0,85	0,1
D18	0,41	0,43	0	0,62	0,52	0,17	0,85	0,89	0,03
D19	0,01	0,4	0,61	0,05	0,15	0,1	0,72	0,79	0,5
D20	0,71	0,39	0,71	0,9	0,05	0,87	0,49	0,04	0,21
D21	0,96	0,92	0,2	0,17	0,71	0,8	0,08	0,24	0,91
D22	0,89	0,98	0,44	0,31	0,2	0,09	0,86	0,49	0,59
D23	0,29	0,57	0,24	0,51	0,25	0,63	0,4	0,51	0,84

Figure 1. Documents representation by index terms

### 3.2 Module for Formulating Weighted Queries

Students would define their weighted queries using the formulation module through a fuzzy weighted Boolean query language. With this language each query is expressed as a combination of the weighted index terms that are connected by the logical operators AND, OR, and NOT. The weights are numerical or ordinal linguistic values taken from a set S of nine labels defined as:

$$S = \{\text{Null, Extremely\_Low, Very\_Low, Low, Medium, High, Very\_High, Extremely\_High, Total}\}$$

Students formulates a linguistic weighted query choosing the search terms, the unitary or binary operators, the numeric or linguistic values of weights, and the semantics associate to the weights. Follow this procedure it is easy to compound complex expressions. To facilitate the query formulation it's possible to remove the last operations. The tool allows the formulation of queries that use different semantics simultaneously (Figure 2).




Figure 2. Formulation of Weighted Queries

### 3.3 Module for Evaluating Weighted Queries

The evaluation module performs the measurement and provides to the students a feedback on the evaluation of weighted queries by means of visual tools. This feedback is given by showing internal aspects of evaluations of weighted queries using trees. Furthermore, the module allows the visual comparison of the evaluation for different weighted queries. For example, Figure 3 shows the evaluation result for assessing the next weighted query:

$$q = ((T3, EL: Threshold), M) \text{ OR } ((T6, L: Threshold), H)$$

This linguistic weighted query is compound of two subqueries join by a disjunctive connective "OR" that use two semantics simultaneously, threshold and quantitative ones. The results of the assessment for all relevant documents are shown in decreasing order and, we have selected for displayed the evaluation tree of the weighted query corresponding to document D2.




Figure 3. Evaluation Results

## 4 CONCLUSIONS

The use of the learning software tool has offered students the opportunity to see and compare the achieved results of different weighted queries. Our software tool has enabled students to develop self-learning processes on typical FIRS operations and more flexible learning opportunities at their own pace, thus they have got a realistic feeling of the particular FIRS used.

We have to point out that the learning of these complex FIRS has been improved through the use of the student-oriented software tool, mainly those related to the formulation and the evaluation process of queries that use different semantics simultaneously, the understanding of the different meaning of semantics associated with the query weights, the contradictions existing between different semantics and the visualization of the bottom-up evaluation tree for weighted Boolean queries.

The development of self-learning processes has been an important motivational factor that has led to increase learning gains [30]. We have achieved enhance students' learning on FIRS, their motivation has increased, and their marks in final exams have risen.

## Acknowledgments

This work has been supported by the projects: FUZZY-LING, Ref. TIN2007-61079 and SAINFOWEB, Cod. 00602.

## References

- [1] S. M. Alessi and S. R. Trollip. Computer-based instruction: Methods and development. (2nd edition). Englewood Cliffs, NJ: Prentice-Hall, 1991.
- [2] R. Baeza-Yates and B. Ribeiro-Neto. Modern Information Retrieval. Addison-Wesley, 1999.
- [3] P.P. Bonissone. Soft computing: the convergence of emerging reasoning technologies. *Soft Computing*, 1(1):6–18, 1997.
- [4] A. Bookstein. Fuzzy request: An approach to weighted Boolean searches. *Journal of the American Society for Information Science*, 31: 240-247, 1980.
- [5] G. Bordogna, C. Carrara, and G. Pasi. Query term weights as constraints in fuzzy information retrieval. *Information Processing & Management*, 27: 15–26, 1991.

- [6] G. Bordogna and G. Pasi. A fuzzy linguistic approach generalizing boolean information retrieval: A model and its evaluation. *Journal of the American Society for Information Science*, 44(2):70–82, 1993.
- [7] D. Buell and D.H. Kraft. Threshold values and boolean retrieval systems. *Information Processing & Management*, 17:127–136, 1981.
- [8] E. Caruso. Computer aids to learning online retrieval. *Annual Review of Information Science and Technology*, pages 317–336, 1981.
- [9] C.S. Cater and D.H. Kraft, A generalization and clarification of the Waller-Kraft wish list. *Information Processing & Management*, 25: 15-25, 1989.
- [10] F. Crestani and G. Pasi. *Soft Computing in Information Retrieval: techniques and applications*. Studies in Fuzziness and Soft Computing Series, vol. 50. Physica-Verlag, 2000.
- [11] J.C. Griffith and N.P. Norton. A computer assisted instruction program for end users on an automated information retrieval systems. In *Proceedings of the Second National Online Meeting*, New York, pages 239–248, 1981.
- [12] K. Halttunen and E. Sormunen. Learning information retrieval through an educational game. Is gaming sufficient for learning? *Education for Information*, 18(4):289–311, 2000.
- [13] M. Hegarty. Dynamic visualizations and learning: Getting to the difficult questions. *Learning and Instructions*, 14:343—351, 2004.
- [14] F. Herrera and E. Herrera-Viedma. Linguistic decision analysis: Steps for solving decision problems under linguistic information. *Fuzzy Sets and Systems*, 115:67–82, 2000.
- [15] E. Herrera-Viedma. An information retrieval system with ordinal linguistic weighted queries based on two weighting elements. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 9:77–88, 2001.
- [16] E. Herrera-Viedma. Modelling the retrieval process for an information retrieval system using an ordinal fuzzy linguistic approach. *Journal of the American Society for Information Science and Technology*, 52(6):460–475, 2001.
- [17] E. Herrera-Viedma, O. Cordón, M. Luque, A.G. López, and A.M. Muñoz. A model of fuzzy linguistic IRS based on multi-granular linguistic information. *International Journal of Approximate Reasoning*, 34:221–239, 2003.
- [18] E. Herrera-Viedma and A.G. López-Herrera. A model of information retrieval system with unbalanced fuzzy linguistic information. *International Journal of Intelligent Systems*, 22(11):1197–1214, 2007.
- [19] E. Herrera-Viedma, A.G. López-Herrera, M. Luque, and C. Porcel. A fuzzy linguistic IRS model based on a 2-tuple fuzzy linguistic approach. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 15(2):225–250, 2007.
- [20] E. Herrera-Viedma, A.G. López-Herrera, and C. Porcel. Tuning the matching function for a threshold weighting semantics in a linguistic information retrieval system. *International Journal of Intelligent Systems*, 20:921–937, 2005.
- [21] E. Herrera-Viedma, G. Pasi, and F. Crestani. *Soft Computing in Web Information Retrieval: Models and Applications*. Studies in Fuzziness and Soft Computing Series, vol. 197. Physica-Verlag, 2006.
- [22] D. Hull. Stemming algorithms: a case study for detailed evaluation. *Journal of the American Society for Information Science*, 52(6):70–84, 1996.

- [23] D.H. Kraft and D.A. Buell. Fuzzy sets and generalized Boolean retrieval systems, *International Journal of Man-Machine Studies*, 19: 45-56, 1983.
- [24] R.R. Korfhage. *Discrete computational structures*. New York: Academic Press, 1978.
- [25] C.J. van Rijsbergen. *Information retrieval*. Butterworth, 1979.
- [26] G. Salton and M.J. McGill. *An Introduction to Modern Information Retrieval*. McGraw-Hill, 1983.
- [27] S. Stratford. A review of computer-based model research in precollege science classrooms. *Journal of Computers in Mathematics and Science Teaching*, 16(1):3—23, 1997.
- [28] W.G. Waller and D.H. Kraft. A mathematical model of a weighted boolean retrieval system. *Information Processing & Management*, 15:235–245, 1979.
- [29] R.R. Yager. A note on weighted queries in information retrieval systems. *Journal of the American Society of Information Sciences*, 38:23–24, 1987.
- [30] M. Yaman, C. Nerdel, and H. Bayrhuber. The effects of instructional support and learner interests when learning using computer simulations. *Computers & Education*, 51:1784—1794, 2008.